



Rx FOR SUCCESS

Liver Tests

Liver enzymes are commonly tested upon life insurance application. Although they may be produced by other tissues in the body, an unexplained elevation of one or more of these enzymes is a concern for impaired liver function. The liver tests most commonly encountered by the underwriter include:

- ▶ AST (aspartate aminotransferase), formerly SGOT (serum glutamic oxaloacetic transaminase)
- ▶ ALT (alanine aminotransferase), formerly SGPT (serum glutamic pyruvic transaminase)
- ▶ GGT (gamma-glutamyl transferase or transpeptidase) or GGTP

Elevations of AST and ALT are usually caused by some type of liver damage that allows enzymes to “leak out” of cells.

The degree of elevation roughly parallels the extent of liver cell damage. ALT is the most specific enzyme, being produced primarily by the liver. AST is produced by the liver but commonly rises from simple muscle trauma. GGT is a very sensitive enzyme for the detection of early liver disease or damage. It is also an inducible enzyme, meaning that it will rise when the liver is actively metabolizing some types of drugs or toxins (like alcohol).

Many impairments may cause elevations in one or more of the liver enzymes:

- ▶ Hepatitis, especially viral hepatitis (See *Rx for Success* - Hepatitis A (HAV), Hepatitis B (HBV), Hepatitis C (HCV))
- ▶ Cirrhosis
- ▶ Fatty liver, often associated with diabetes, obesity, elevated blood fats, or excess alcohol
- ▶ Liver cancer or metastases
- ▶ Alcohol use
- ▶ Some medications, such as Dilantin, phenobarbital, allopurinol, and many others
- ▶ A variety of infiltrative diseases of the liver
- ▶ Biliary obstruction, including conditions such as gallstones, primary biliary cirrhosis, cancer, and cholangitis

The goal in underwriting abnormal liver tests is to determine the underlying cause and then classify the risk accordingly. Many of the conditions listed above are quite serious.

In summary, when faced with the situation of abnormal liver enzymes, an underwriter will consider the degree of elevation, results of other blood tests, the clinical history, and the current physical findings. Some follow-up investigation might help clarify the picture.

- ▶ Was the applicant taking a medication that was not initially mentioned?
- ▶ Was there a documented viral illness prior to the blood draw?
- ▶ Has the client been evaluated by his or her own physician for chronic elevations?

The underwriter will also consider the condition of the blood specimen, in particular hemolysis, which could affect the test results. A non-fasting state does not affect any of the liver enzymes.

This material is intended for insurance informational purposes only and is not personal medical advice for clients. Rates and availability will vary based on the satisfaction of our underwriting criteria. Underwriting rules are subject to change at our discretion.

Life insurance is issued by The Prudential Insurance Company of America, Newark, NJ, and its affiliates.

NOT FOR CONSUMER USE.

© 2018 Prudential Financial, Inc. and its related entities.
1008190-00001-00 Ed. 09/2018 Rx 003

RATINGS FOR LIVER TEST

Rate for cause or see below.

IF THE CAUSE IS UNKNOWN AND THERE IS AN ELEVATION OF ONLY ONE TEST	
Bilirubin: <ul style="list-style-type: none"> • ≤ 6.0 mg/dl • > 6.0 mg/dl 	No rating Decline
Alkaline phosphatase (ALP): <ul style="list-style-type: none"> • Age > 20 years ≤ 3X laboratory reference range • Age ≤ 20 years ≤ 5X laboratory reference range • Others 	No rating No rating Individual consideration
AST: <ul style="list-style-type: none"> • ≤ 5X normal • > 5X normal 	No rating Decline
ALT: <ul style="list-style-type: none"> • ≤ 4X normal • > 4X – 5X normal • > 5X normal 	No rating Table B Decline
GGT: <ul style="list-style-type: none"> • ≤ 4X normal • > 4X – 5X normal • > 5X normal 	No rating Table B Decline
IF THE CAUSE IS UNKNOWN AND THERE IS ELEVATION OF TWO OR MORE (AST, ALT, GGT) WITH NO ELEVATION OF BILIRUBIN OR ALP, RATE FOR HIGHEST ENZYME.	
• ≤ 2X normal	No rating
• > 2X but ≤ 3X normal	Table B
• > 3X but ≤ 4X normal	Table D
• > 4X but ≤ 5X normal	Table F
• > 5X normal	Individual consideration

For entering the tables, the following values will be considered elevations:

AST, ALT, GGT	Over normal lab reference range
Bilirubin	≥ 2 mg/dl
ALP <ul style="list-style-type: none"> • Non-Pregnant: <ul style="list-style-type: none"> • Age > 20 • Age ≤ 20 • Pregnant (any age) 	> 1.5X adult laboratory reference range > 5X adult laboratory reference range > 3X adult laboratory reference range

To get an idea of how a client with a history of liver tests would be viewed in the underwriting process, use the Ask “Rx”pert Underwriter on the next page for an informal quote.

Ask “Rx”pert Underwriter (Ask Our Expert)

After reading the *Rx for Success* on Liver Tests, use this form to Ask “Rx”pert Underwriter for an informal quote.

Producer _____ Phone _____ Fax _____
 Client _____ Age/DOB _____ Sex _____

If your client has elevated liver enzymes, please answer the following:

1. How long has this abnormality been present? (Years)

2. Please give the date and results of the most recent liver enzyme tests.

- AST/SGOT _____
- ALT/SGPT _____
- GGTP/GGT _____
- ALP _____
- Bilirubin _____

3. These results have been:

- Increasing Fluctuating up and down
- Decreasing Unknown
- Stable

4. Does your client drink alcohol? (Answer all that apply.)

- Yes. Please note amount and frequency. _____
- No
- Drinking pattern changed recently. _____

5. Is your client on any medications (prescription and/or non-prescription)?

- Yes. Please give details. _____
- No

6. Please check if your client has had any further studies for evaluation:

- | | | |
|---|---------------------------------|-----------------------------------|
| Hepatitis A, B, or C | <input type="checkbox"/> Normal | <input type="checkbox"/> Abnormal |
| Iron studies | <input type="checkbox"/> Normal | <input type="checkbox"/> Abnormal |
| Liver ultrasound, CT scan, or MRI | <input type="checkbox"/> Normal | <input type="checkbox"/> Abnormal |
| Liver biopsy | <input type="checkbox"/> Normal | <input type="checkbox"/> Abnormal |
| <input type="checkbox"/> No further evaluations | | |

7. Does your client have any other major health problems (e.g., heart disease, etc.)?

- Yes. Please give details. _____
- No